



TRILAX


Design: Fritz Makiol







girsberger

TRILAX



		
Trilax Mod. 1 Classic		
1	Seat width 460 mm Anchura del asiento 460 mm Zitbreedte 460 mm	●
1/2	Two backrest heights 450 mm / 590 mm Dos alturas de respaldo 450 mm / 590 mm Twee rughoogten 450 mm / 590 mm	●/●
3	Synchronous mechanism Mecanismo sincrónico Synchroon mechaniek	●
Seat height adjustment 140 mm shock-absorbing suspension Ajuste de altura del asiento 140 mm suspensión elástica de confort Zithoogteverstelling 140 mm comfortabele diepteveering		●
Trilax Mod. 2 Classic		
1/2	Seat width 510 mm Anchura del asiento 510 mm Zitbreedte 510 mm	●
1/2	Two backrest heights 530 mm / 665 mm Dos alturas de respaldo 530 mm / 665 mm Twee rughoogten 530 mm / 665 mm	●/●
3	Synchronous mechanism Mecanismo sincrónico Synchroon mechaniek	●
Seat height adjustment 140 mm shock-absorbing suspension Ajuste de altura del asiento 140 mm suspensión elástica de confort Zithoogteverstelling 140 mm comfortabele diepteveering		●
Armrests Apoya-brazos Armlegger		
4/5	Armrests fixed plastic / upholstered Apoya-brazos fijos Material sintético / tapizados Armleggers vast kunststof / gestoffeerd	●/●
Base Base Onderstel		
Base aluminium black-coated Base de aluminio epoxi negro Onderstel aluminium zwart geëpoxeerd		●
Base aluminium polished Base de aluminio pulido Onderstel aluminium gepolijst		●
6	Conference chair with 5-prong base Silla de conferencia con base de 5 radios Conferentiestoel met 5 stervoet	●
Features Equipamiento Opties		
Coat hanger chromed Percha cromada Kleerhanger verchromd		○
7	Headrest black Reposacabezas negro Hoofdsteun zwart	○

● standard estándar **standaard** ○ optional opcional **optioneel**



Girsberger AG, Bützberg, CH
 Girsberger AG, Wien, A
 Girsberger France, Paris, F
 Girsberger GmbH, Endingen, D
 Girsberger UK, London, GB
 Girsberger Iberia S.L., Madrid, E
 Girsberger Benelux BV, Amsterdam, NL
 Girsberger Industries, Inc., Smithfield, USA
 Tuna-Girsberger Tic. AS, Silivri, TR

mail@girsberger.com
www.girsberger.com

5 years guarantee
 5 años de garantía
 5 jaar garantie



Measurements according to EN 1335. Information subject to alterations
 Medidas según EN 1335. Reservado el derecho a modificaciones
 Maten volgens NEN-EN 1335 en NPR 1813. Informatie onder voorbehoud
 van wijzigingen

girsberger